




# technical specification

## PELICAN SYSTEMS CEILING TRIMS


### 1.) Shadowline Wall Trim

An aluminium ceiling profile designed to create a 20 x 20mm Shadowline between an exposed suspended ceiling and the perimeter wall. The profile ensures even and neat mitres.



### 2.) Plaster Ceiling Junction

An aluminium ceiling profile designed to facilitate the transition between an exposed suspended ceiling and a flush plastered ceiling both on the same level with a reveal being created between the two types.



info@pelican.co.za | www.pelican.co.za

KZN Head Office: (031) 563 7307 | Durban: (031) 563 7307 | Pietermaritzburg: (033) 345 3701 | Gauteng: 082 212 1372

ceiling systems

partitioning systems

opening systems

flooring systems






# technical specification


### 3.) Apex Trim

An aluminium ceiling profile designed to facilitate the junction between two raked ceilings.



### 4.) Facia Trim

An aluminium ceiling profile designed to facilitate a vertical bulkhead at the edge of a suspended ceiling, especially against windows.



info@pelican.co.za | www.pelican.co.za

KZN Head Office: (031) 563 7307 | Durban: (031) 563 7307 | Pietermaritzburg: (033) 345 3701 | Gauteng: 082 212 1372

ceiling systems

partitioning systems

opening systems


flooring systems






## 5.) Plaster Curve

An aluminium ceiling profile designed to facilitate a radius wall with a flush plastered ceiling. To be used with 16mm radiused Supawood to create a Shadowline on the perimeter wall.



## 6.) Shadow Curve

An aluminium ceiling profile designed to facilitate a radius wall with an exposed suspended ceiling. To be used with 16mm radiused Supawood to create a Shadowline on the perimeter wall.






## technical specification

### 7.) Shadowline Plaster Trims PS2, PS3 & PS4

An aluminium ceiling profile designed to create a 25 x 20, 45 x 20 or a 45 x 45mm Shadowline at the perimeter with the wall surface, using 9mm Jumbo Plasterboard.



#### Note:

- All dimensions are in mm
- Profile thickness 1.4 / 1.5mm
- Aluminium Alloy – 6063
- Profiles are powder coated WHITE
- Where possible the profiles are pre-drilled at 450mm centres



[info@pelican.co.za](mailto:info@pelican.co.za) | [www.pelican.co.za](http://www.pelican.co.za)

KZN Head Office: (031) 563 7307 | Durban: (031) 563 7307 | Pietermaritzburg: (033) 345 3701 | Gauteng: 082 212 1372

ceiling systems

partitioning systems

opening systems

flooring systems

