Safety Data Sheet

Plaster rimer

20 L





Plaster Primer

SECTION 1 - Product and Company Identification

Product Name	Plaster Primer
Recommended use	A paint or paint constituent product
Company Name	Pelican Systems
Address	765 / 793 Chris Hani Road, Durban, Redhill, 4071
Telephone	031 563 7307
Email	info@pelican.co.za
Emergency Contact	H. Kansara - 012 8047305 (Promac Paints (Pty) Ltd)

SECTION 2 - Hazards Identification

Overall Nature Classification reference SANS10234 (1272/2008/EC) :

Classification of the substance or mixture

(H316) Skin corrosion/irritation, Hazard Category 3 (H402) Hazardous to the aquatic environment, AcuteHazard, Category 2

GHS label elements, including precautionary statements Signal word Warning Pictograms None

Hazard and Precautionary Statements

Hazard Statements Causes mild skin irritation Toxic to aquatic life **Precautionary Statements Prevention Statements** Avoid release to the environment - if this is not the intended use **Response Statements** If skin irritation occurs - get medical advice / attention

Disposal Statements Dispose of contents / container in accordance with local / regional / national / international regulations

SECTION 3 - Composition / Information on Ingredients Mixturo

CAS No	Not applicable	EU Index No	Not applicable	UN No	Not applicable

HAZARDOUS AND/OR OTHER RELEVANT COMPONENTS

Name	% m/m	EC Labels	CAS Number	EC Index
TRIMETHYL-PENTADIOL- MONOISOBUTYRATE	<1.1 %		025265-77-4	n/q
1-2 ETHANEDIOL	<0.4 %	Xn	000107-21-1	603-027-00-1

Classification reference SANS10234 (1272/2008/EC) EC Index

Classification | Hazard Code | Note | 603-027-00-1 Acute Tox. 4 | H302 |

SECTION 4 - First Aid Measures

Broduct Type

Inhalation Move to fresh air Skin Always wash after being in contact with chemical substances Eyes Rinse with plenty of water. Seek medical advice if symptoms persist Ingestion Give plenty of water / milk. Induce vomiting if patient concious. Get medical advice

SECTION 5 - Fire Fighting Measures

Suitable extinguishing media

Specific hazards arising from the chemical

· No direct explosion hazard expected · Dried residues - combustible with toxic fumes



SECTION 6 - Accidental Release Measures

Contain & collect. Caution - Can make floors slippery Wear protective equipment (see Section 8). Keep unprotected persons away Do not allow product to reach sewage system or any water course Remove ignition sources and provide sufficient ventilation

SECTION 7 - Handling and Storage

 Storage
 Alkaline - corrosive. Caution with contact with non-ferrous metals

 Handling
 Ensure good ventilation/exhaustion at the workplace

 Do not spray on a naked flame or any incandescent material
 Eating, drinking and smoking in work areas is prohibited

 Wash hands after use
 Remove contaminated clothing and protective equipment before entering eating areas

InhalationIn case of insufficient ventilation, use suitable respiratory protectionSkinObserve the rules of hygiene. Wash before eating, drinking or smokingEyesAvoid direct contact. Never touch eyes with dirty hands or glovesIngestionObserve the rules of hygiene. Wash before eating, drinking or smoking

SECTION 8 - Exposure Control / Personal Protection

HAZARDOUS AND/OR OTHER RELEVANT COMPONENTS

Name	CAS Number (mg/m3)	TWA OEL (ppm)	TWA OEL (mg/m3)	STOEL (ppm)	STOEL Type	OEL Type	Vap.Press (mmHg)
PLASTER PRIMER	Not applicable						
Components:							
TRIMETHYL- PENTADIOL- MONOISOBUTYRATE	025265-77-4	400	100			RL	
1-2 ETHANEDIOL	000107-21-1	60		125		RL	.07
	CL / RL = Controlled / Recommended level 'S' = Skin annotation						

OEL Type: Mixture

Maintain air concentrations below occupational exposure standards, using engineering controls as necessary Appropriate hand protection and protective clothing must always be used Keep away from foodstuffs, beverages and animal feed Wash hands before breaks and at the end of work

Personal Protective Equipment

Skin PPE Respiratory PPE Eve PPE	Overall and impervious gloves (eg nitrile rubber) Air purifying respirator (eg cartridge type) Faceshield or solvent resistant goggles	
HMIS Rating (USA) SAPMA Rating	1 - 0 - 0 - I (Health-Flam-Reactivity-PPE) 3-H-E PPE : Gloves, Respirator and Eye protection	SAPMA HHR LAMA-E
SPRAYBOOTH Spraybooth Type Skin PPE Eyes PPE Respiratory Protectior	Spraybooth complying with National Standards Nitrile Gloves Faceshield or solvent resistant goggles Air supplied full facepiece or head covering respirator suitable for organic	vapours / particulates

SECTION 9 - Physical and Chemical Properties

Property Appearance Odour pН Boiling point Melting point Flash point Explosive prop Oxidizing prop Vapour pressure Density Water solubility Fat solubility Partition coeficient Viscosity Vapour density Evaporation rate Autoignition temperature L.E.L. U.E.L. % non volatile

value water based emulsion slight 88 >100°C not available n/a°C not available not available not available 1.318-1.418Kg/L miscible oil: insoluble not available 95 - 100 KU not available not available not available not available

not available 42 - 47%



Safety Data Sheet

SECTION 10 - Stability and Reactivity

Stable under normal conditions No reaction with fire-fighting water

SECTION 11 - Toxicological Information

Name	CAS Number	LD50 Oral mg/kg	LD50 Skin mg/kg	LC50 Inhal(gas) ppmV	LC50 Inhal(mist) mg/lt
PLASTER PRIMER	Not applicable	38462 ATEoral	166667 ATEdermal	333333 ATEgas	
Components:					
TRIMETHYL- PENTADIOL- MONOISOBUTYRATE	025265-77-4	3200 mg (Rat)	16ml/Gg		
1-2 ETHANEDIOL	000107-21-1	5840 mg (Rat)			

Inhalation	Possible traces of free monomers. Can be irritating
Skin	Direct contact to be avoided
Eyes	Can cause damage
Ingestion	Irritating and nauseating

SECTION 12 - Ecological Information

May have short term environmental effects. Contain, monitor & removeAcquatic toxicityNo further relevant information availablePersistence and degradabilityNo further relevant information availableBioaccumulative potentialNo further relevant information availableMobility in soilNo further relevant information available

No available ecological data of ingredients

SECTION 13 - Disposal Information

Can be eliminated from sewage / effluent by chemical flocculation Must not be disposed of together with household garbage Do not allow product to reach sewage system

SECTION 14 - Transport Information

UN Number Not applicable. Not classified as dangerous for transport

SECTION 15 - Regulatory Information

Classification reference SANS10234 (1272/2008/EC) Classification of the substance or mixture (H316) Skin corrosion / irritation, Hazard Category 3 (H402) Hazardous to the aquatic environment, AcuteHazard, Category 2

SECTION 16 - Other Information

IN CASE OF ANY DISCOMFORT ALWAYS SEEK MEDICAL ADVICE. HMIS Rating (USA) : 1 - 0 - 0 - I (Health-Flam-Reactivity-PPE)

Hazard (H) phrases associated with components H302 : Harmful if swallowed

Abbreviations

Code : Abbreviation : Meaning Xn : : harmful ====== · : : Associated pictogram code shown in brackets H302 : Acute Tox. 4 : (GHS07) Acute toxicity (oral), Hazard Category 4 ====== : %m/m : Percent by mass : ATE : Acute Toxicity Estimate CAS : Chemical Abstracts Service CHIP : Chemicals (Hazard Information and Packaging for supply) CLP : Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures CNS : Central Nervous System DIN : Standard of the German Institute for Standardisation DOT : Department of Transport EC : European Community EC50 : Effective Concentration (Median) for 50% of the response under test : ECB : European Chemicals Bureau ECHA: European Chemicals Agency, Helsinki (http://echa.europa.eu/home en.asp) EEC : European Economic Community : EINECS : European Inventory of Existing Chemical Substances

- : ELINCS : European List of Notified Chemical Substances
- : GHS : Globally Harmonized System of Classification and Labelling of Chemicals



- : HMIS : Hazardous Materials Information System (USA only)
- : IATA : International Air Transport Association
- : IMDG : International Maritime Dangerous Goods Code
- : IMO : International Maritime Organization
- : INS : Guidance on Identification and Naming of Substances under REACH, ECHA, 2007
- : ISO : International Standards Organisation
- : L.E.L. : Lower explosive limit
- : LD50/LC50 : Median (50%) lethal dose/concentration
- mg/m3 : Milligrams per cubic meter
- : MSDS : Material safety data sheet
- : n.a. : Not available
- : NC : No Classification
- No : Number
- OEL : Occupational exposure limit
- : OEL-CL : Occupational exposure limit control limit
- : OEL-RL : Occupational exposure limit recommended limit
- : OHS Act : Occupational Health and Safety Act
- : P statement : Precautionary statement
- : PPE : Personal protective equipment
- : ppm : Parts per million
- : REACH : Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals
- : RTDG : Regulations on the Transport of Dangerous Goods. Generic term that covers all modal transport regulations (ADR, RID, ADN, IMDG and ITDG)
- : SABS : South African Bureau of Standards
- : SANS : South African National Standards
- : SAPMA : South African Paint Manufacturers Association
- : SARA 313 : Toxic Release Inventory Reporting SRA Section 3
- : SDS : Safety Data Sheet
- : STOEL : Short-term occupational exposure limit
- : STOT-RE : Specific Target Organ Toxicity Repeated Exposure
- : STOT-SE : Specific Target Organ Toxicity Single Exposure
- : TDG : Transport of Dangerous Goods
- : TSCA : Toxic Substance Control Act (USA only)
- : TWA : Time weighted average
- : U.E.L. : Upper explosive limit
- : UN : United Nations
- : WHMIS : Workplace Hazardous Materials Information Systems (Canada only)

======:::

This SDS conforms with General Administrative Regulations of 6 Sept.1996 (SANS11014:2010/ISO11014:2009) OELs derived from OHS Act Regulations for Dangerous Chemical Substances of 25 Aug.1995 (EH-42) SAPMA Rating - South African Paint Manufacturers Association Guide to Health Hazards (SABS ARP 006:1991) All information is given in good faith but without guarantee in respect of accuracy. No responsibility is accepted for errors or omissions or the consequences thereof.

(Date of issue : 14/10/2019 Date of analysis : 14/10/2019)

